

Application No.: 10/761,101
Response dated: July 26, 2006
Reply to Office Action: February 2, 2006

Amendments to the Claims


This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A process for polymerizing olefin(s) comprising, combining said olefin(s), a catalyst composition having a first catalyst component comprising a Group 15 containing bidentate or tridentate ligated Group 3 to 7 metal compound wherein the Group 3 to 7 metal atom is bound to at least one leaving group and to at least two Group 15 atoms, and wherein at least one of the at least two Group 15 atoms is bound to a group 15 or 16 atom through a bridging group; and a second catalyst component, wherein said second catalyst component is a metallocene compound and wherein said first catalyst component and said second catalyst component are added to a polymerization reactor [in one of a slurry, a dispersion or a suspension] and wherein the polymerization process is a continuous gas or slurry phase process.
2. (Cancelled)
3. (Currently Amended) The process of claim 1 wherein metal in the Group 15 containing metal compound is a Group 4 to 6 metal compound and wherein said first catalyst component and said second catalyst component are added to said polymerization reactor in one of a solution, suspension or a emulsion.
4. (Original) The process of claim 1 wherein the bridging group is selected from the group consisting of a C₁ to C₂₀ hydrocarbon group, a heteroatom containing group, silicon, germanium, tin, lead, and phosphorus.
5. (Original) The process of claim 1 wherein the Group 15 or 16 atom may also be bound to nothing, a hydrogen, a Group 14 atom containing group, a halogen, or a


Application No.: 10/761,101
 Response dated: July 26, 2006
 Reply to Office Action: February 2, 2006

heteroatom containing group, and wherein each of the two Group 15 atoms are also bound to a cyclic group and may optionally be bound to hydrogen, a halogen, a heteroatom or a hydrocarbonyl group, or a heteroatom containing group.

6. (Previously Presented) The process of claim 1 wherein the Group 15 containing metal compound is represented by the formula:



or



wherein

M is a Group 3 to 7 metal,

each X is independently a leaving group

y is 0 or 1,


n is the oxidation state of M,

Application No.: 10/761,101
Response dated: July 26, 2006
Reply to Office Action: February 2, 2006

m is the formal charge of the Y, Z and L or the Y, Z and L',
L is a Group 15 or 16 element,
L' is a Group 15 or 16 element or Group 14 containing group,
Y is a Group 15 element,
Z is a Group 15 element,
R¹ and R² are independently a C₁ to C₂₀ hydrocarbon group, a heteroatom containing group having up to twenty carbon atoms, silicon, germanium, tin, lead, or phosphorus,
R³ is absent or a hydrocarbon group, hydrogen, a halogen, a heteroatom containing group,
R⁴ and R⁵ are independently an alkyl group, an aryl group, substituted aryl group, a cyclic alkyl group, a substituted cyclic alkyl group, a cyclic arylalkyl group, a substituted cyclic arylalkyl group or multiple ring system, interconnected to each other,
R⁶ and R⁷ are independently absent, or hydrogen, an alkyl group, halogen, heteroatom or a hydrocarbyl group, and
R^{*} is absent, or is hydrogen, a Group 14 atom containing group, a halogen, a heteroatom containing group.

7. (Original) The process of claim 6 wherein R⁴ and R⁵ are represented by the formula

Application No.: 10/761,101
 Response dated: July 26, 2006
 Reply to Office Action: February 2, 2006



wherein

R⁸ to R¹² are each independently hydrogen, a C₁ to C₄₀ alkyl group, a halide, a heteroatom, a heteroatom containing group containing up to 40 carbon atoms, wherein any two R groups may form a cyclic group and/or a heterocyclic group, and wherein the cyclic groups may be aromatic.

8. (Previously Presented) The process of claim 7 wherein R⁸ to R¹² are independently a methyl, ethyl, propyl or butyl group.
9. (Previously Presented) The process of claim 8 wherein R⁸ to R¹² are methyl groups.
10. (Original) The process of claim 9 wherein M is a Group 4 metal, L, Y, and Z are independently nitrogen, R¹ and R² are a hydrocarbon radical, R³ is hydrogen, and R⁶ and R⁷ are absent.
11. (Original) The process of claim 9 wherein M is a Group 4 metal, L and Z are nitrogen, L' is a hydrocarbyl radical, and R⁶ and R⁷ are absent.
12. (Currently Amended) The process of claim 1 wherein the second catalyst component comprises a metallocene compound of the general formula



Application No.: 10/761,101
Response dated: July 26, 2006
Reply to Office Action: February 2, 2006

wherein M is a Group 4, 5 or 6 metal atom,
L^A and L^B are selected from the group consisting of cyclopentadienyl,
tetrahydroindenyl, indenyl, fluorenyl, and substituted versions thereof, L^A and L^B
are each bonded to M;
each Q is a monoanionic leaving group,
A is a divalent bridging group containing at least one Group 13 to Group 16
atom; and
n is 0, 1 or 2.

13. (Cancelled)
14. (Cancelled).
15. (Previously Presented) The process of claim 12 wherein M is a Group 4 metal.
16. (Cancelled)
17. (Previously Presented) The process of claim 1 wherein the catalyst composition further comprises an activator.
18. Cancelled.
19. (Original) The process of claim 1 wherein the olefin(s) are ethylene and one or more other olefin(s).
20. (Previously Presented) The process of claim 1 wherein said first catalyst component and said second catalyst component are present in a molar ratio of 1:99 to 99:1.

Application No.: 10/761,101
Response dated: July 26, 2006
Reply to Office Action: February 2, 2006

21. (Previously Presented) The process of claim 1 wherein said first catalyst component and said second catalyst component are present in a molar ratio of 20:80 to 80:20.
22. -48. Cancelled